

NTORQ



SHAN ENTERPRISES

Digital Locks for a Modern World.



ASL-400-RS

UNLOCKING METHOD

Fingerprint
Password
RFID Card
Mechanical Key

FUNCTION

Doorbell
Anti-theft Alarm
Static current $\leq 65 \mu\text{A}$
4 AA batteries
Fingerprints + Passwords + RFID Cards ≤ 300
Suitable for residential homes and apartments

Material



High Carbon Steel
Glass panel

Panel Size

320mm x 60mm

Color

High carbon steel + ABS





ASL-401-RS BL

UNLOCKING METHOD

Fingerprint
Password
RFID Card
Mechanical Key

FUNCTION

Doorbell
Anti-theft Alarm
Static current $\leq 65 \mu\text{A}$
4 AA batteries
Fingerprints + Passwords + RFID Cards ≤ 300
Suitable for residential homes and apartments

Material

High Carbon Steel
Glass panel

Panel Size

320mm x 60mm

Color

Black





ASL-306-RS

UNLOCKING METHOD

Fingerprint
Password
RFID Card
Mechanical Key

FUNCTION

Doorbell
Anti-theft Alarm
Static current $\leq 65 \mu\text{A}$
4 AA batteries
Fingerprints + Passwords + RFID Cards ≤ 300
Suitable for residential homes and apartments

Material

Aluminium Alloy
Tempered Glass

Panel Size

260mm x 60mm

Color

Black





ASL-304-RS

UNLOCKING METHOD

Fingerprint
Password
RFID Card
Mechanical Key

FUNCTION

Doorbell
Anti-theft Alarm
Static current $\leq 65 \mu\text{A}$
4 AA batteries
Fingerprints + Passwords + RFID Cards ≤ 300
Suitable for residential homes and apartments

Material

Aluminium Alloy
Tempered Glass

Panel Size

385mm x 80mm

Color

Black





ASL-305-RS

UNLOCKING METHOD

Fingerprint
Password
RFID Card
Mechanical Key

FUNCTION

Doorbell
Anti-theft Alarm
Static current $\leq 65 \mu\text{A}$
4 AA batteries
Fingerprints + Passwords + RFID Cards ≤ 300
Suitable for residential homes and apartments

Material

Aluminium Alloy
Tempered Glass

Panel Size

370mm x 80mm

Color

Black





ASL-401-RS-BZ

UNLOCKING METHOD

Fingerprint
Password
RFID Card
Mechanical Key

FUNCTION

Doorbell
Anti-theft Alarm
Static current $\leq 65 \mu\text{A}$
4 AA batteries
Fingerprints + Passwords + RFID Cards ≤ 300
Suitable for residential homes and apartments

Material

High Carbon Steel
Glass panel

Panel Size

320mm x 60mm

Color

Bronze





ASL-402-RF

UNLOCKING METHOD

- 3d Face
- Fingerprint
- Password
- Mobile App(WiFi)
- Card
- Mechanical Key
- Temporary password
- Time bound password

FUNCTION

- Doorbell
- Anti-Theft Alarm
- 3.0" HD indoor display
- Dedicated lock and unlock button
- Emergency charging type-C port
- 7.4V, 3200 mAh lithium battery
- Factory reset button
- up to 50 faces recognition
- Fingerprints + Passwords + RFID Cards \leq 300
- Static current \leq 65 μ A
- Suitable for residential homes and apartments

Material

- Aluminium Alloy
- ABS Alloy
- Acrylic

Panel Size

360mm x 70mm

Color

Black(spray painting)





ASL-403-RF

UNLOCKING METHOD

- 3d Face
- Fingerprint
- Password
- Mobile App(WiFi)
- Card
- Mechanical Key
- Temporary password
- Time bound password

FUNCTION

- Doorbell
- Anti-Theft Alarm
- 3.0" HD indoor display
- Dedicated lock and unlock button
- Emergency charging type-C port
- 7.4V, 3200 mAh lithium battery
- Factory reset button
- up to 50 faces recognition
- Fingerprints + Passwords + RFID Cards \leq 300
- Static current \leq 65 μ A
- Suitable for residential homes and apartments

Material

- Aluminium Alloy
- ABS Alloy
- Acrylic

Panel Size

360mm x 60mm

Color

Black (spray painting)





ASL-307-RF

UNLOCKING METHOD

- 3d Face
- Fingerprint
- Password
- Mobile App(WiFi)
- Card
- Mechanical Key
- Temporary password
- Time bound password

FUNCTION

- Doorbell
- Anti-Theft Alarm
- 3.0" HD indoor display
- Mobile App video intercom
- Dedicated lock and unlock button
- Emergency charging type-C port
- 7.4V, 3200 mAh lithium battery
- Factory reset button
- up to 50 faces recognition
- Fingerprints + Passwords + RFID Cards \leq 300
- Static current \leq 65 μ A
- Suitable for residential homes and apartments

Material

Aluminium Alloy die casting

Panel Size

370mm x 60mm

Color

Black





ASL-308-RF

UNLOCKING METHOD

- 3D Face
- Fingerprint
- Password
- Mobile App(WiFi)
- Card
- Mechanical Key
- Temporary password
- Time bound password

FUNCTION

- Doorbell
- Anti-Theft Alarm
- 3.0'' HD indoor display
- Dedicated lock and unlock button
- Emergency charging type-C port
- 7.4V, 3200 mAh lithium battery
- Factory reset button
- up to 50 faces recognition
- Fingerprints + Passwords + RFID Cards \leq 300
- Static current \leq 65 μ A
- Suitable for residential homes and apartments

Material

Aluminium Alloy

Acrylic

Panel Size

380mm x 70mm

Color

Black





ASL-309-RF

UNLOCKING METHOD

3D Face

Fingerprint

Password

Mobile App(WiFi)

Card

Mechanical Key

Temporary password

Time bound password

FUNCTION

Doorbell

Anti-Theft Alarm

3.0" HD indoor display

Dedicated lock and unlock button

Emergency charging type-C port

7.4V, 3200 mAh lithium battery

Factory reset button

up to 50 faces recognition

Fingerprints + Passwords + RFID Cards \leq 300

Static current \leq 65 μ A

Suitable for residential homes and apartments

Material

Aluminium Alloy

Acrylic

Panel Size

385mm x 70mm

Color

Armani Gray





ASL-404-RF

UNLOCKING METHOD

- 3D Face
- Fingerprint
- Password
- Mobile App(WiFi)
- Card
- Mechanical Key
- Temporary password
- Time bound password

FUNCTION

- Doorbell
- Anti-Theft Alarm
- 3.0" HD indoor display
- Dedicated lock and unlock button
- Emergency charging type-C port
- 7.4V, 3200 mAh lithium battery
- Factory reset button
- up to 50 faces recognition
- Fingerprints + Passwords + RFID Cards \leq 300
- Static current \leq 65 μ A
- Suitable for residential homes and apartments

MATERIAL

- Electroplated
- Aluminium Alloy
- Acrylic

Panel Size

360mm x 60mm

Color

Black(Spray Painting)





ASL-311-RF

UNLOCKING METHOD

- 3D Face
- Fingerprint
- Password
- Mobile App(WiFi)
- Card
- Mechanical Key
- Temporary password
- Time bound password

FUNCTION

- Doorbell
- Anti-Theft Alarm
- 4.5'' IPS indoor display
- Dual camera to see outside and inside of house
- Remote Video Intercom
- Dedicated lock and unlock button
- Emergency charging type-c port
- 7.4V, 4200 mAh lithium battery
- Factory reset button
- up to 50 faces recognition
- Fingerprints + Passwords + RFID Cards \leq 300
- Static current \leq 130 μ A
- Suitable for residential homes and apartments

Material

- Aluminium Alloy
- ABS Alloy

Panel Size

420mm x 74mm

Color

Black





ASL-310-RF

UNLOCKING METHOD

- 3D Face
- Fingerprint
- Password
- Mobile App(WiFi)
- Card
- Mechanical Key
- Temporary password
- Time bound password

FUNCTION

- Doorbell
- Anti-Theft Alarm
- 4.5'' HD indoor display
- Dedicated lock and unlock button
- Emergency charging type-c port
- 7.4V, 3200 mAh lithium battery
- Factory reset button
- Up to 50 faces recognition
- Fingerprints + Passwords + RFID Cards \leq 300
- Static currents \leq 65 μ A
- Suitable for residential homes and apartments

Material

- Aluminium Alloy
- CNC finish
- Tempered Glass

Panel Size

414mm x 76mm

Color

Black





ASL-405-RF

UNLOCKING METHOD

- 3D Face
- Fingerprint
- Password
- Mobile App(WiFi)
- Card
- Mechanical Key
- Temporary password
- Time bound password

FUNCTION

- Doorbell
- Anti-Theft Alarm
- 4.5'' HD indoor display
- Dedicated lock and unlock button
- Emergency charging type-c port
- 7.4V, 3200 mAh lithium battery
- Factory reset button
- Up to 50 faces recognition
- Fingerprints + Passwords + RFID Cards \leq 300
- Suitable for residential homes and apartments

Material

- Electroplated Aluminium Alloy
- Acrylic

Panel Size

385mm x 85mm

Color

Silver



ASL-503-RF

UNLOCKING METHOD

- Palm
- 3D Face
- Fingerprint
- Password
- Mobile App(WiFi)
- Card
- Mechanical Key
- Temporary password
- Time bound password

FUNCTION

- Doorbell
- Anti-Theft Alarm
- 4.5'' HD indoor display
- Dedicated lock and unlock button
- Automatic Lock
- Emergency charging type-c port
- 7.4V, 4200 mAh lithium battery
- Factory reset button
- Up to 50 faces recognition
- Fingerprints + Passwords + RFID Cards \leq 300
- Suitable for residential homes and apartments

Material

- Aluminium Alloy
- CNC Finish

Panel Size

380mm x 70mm

Color

Black



ASL-301-HS

UNLOCKING METHOD

Password
RFID Card
Bluetooth App(TTL)
Mechanical Key

FUNCTION

Doorbell
Anti-theft Alarm
Static current $\leq 65 \mu\text{A}$
4 AA batteries
Passwords + RFID Cards ≤ 200
Suitable for hotel room and office premises

Material

High carbon steel
Glass panel

Panel Size

370mm x 80mm

Color

Black





ASL-302-HS UNLOCKING METHOD

Password
RFID Card
Bluetooth App(TTL)
Mechanical Key

FUNCTION

Doorbell
Anti-theft Alarm
Static current $\leq 65 \mu\text{A}$
4 AA batteries
Passwords + RFID Cards ≤ 200
Suitable for hotel room and office premises

Material

Aluminium Alloy
Glass panel

Panel Size

260mm x 60mm

Color

Black



**ASL-601-HC****UNLOCKING METHOD**

Card
Mechanical Key

FUNCTION

Static current $\leq 65 \mu\text{A}$

2 AA batteries

Suitable for hotel room and office premises

Material

Aluminium Alloy

Panel Size

NA

Color

Black





ASL-602-HC

UNLOCKING METHOD

Card
Mechanical Key

FUNCTION

Static current $\leq 65 \mu\text{A}$

2 AA batteries

Suitable for hotel room and office premises

Material

Aluminium Alloy

Panel Size

NA

Color

Brown





ASL-603-HS

UNLOCKING METHOD

Card
Mechanical Key

FUNCTION

Static current $\leq 65 \mu\text{A}$

2 AA batteries

Suitable for hotel room and office premises

Material

Aluminium Alloy

Panel Size

280mm x 75mm

Color

Black





ASL-303-HS

UNLOCKING METHOD

Password
RFID Card
Bluetooth App(TTL)
Mechanical Key

FUNCTION

Doorbell
Anti-theft Alarm
Static current $\leq 65 \mu\text{A}$
4 AA batteries
Passwords + RFID Cards ≤ 200
Suitable for hotel room and office premises

Material

Aluminium Alloy
Glass panel

Panel Size

370mm x 80mm

Color

Black





ASL-501-HS

UNLOCKING METHOD

Password
RFID Card
Mechanical Key
Bluetooth App (TTL)

FUNCTION

Doorbell
Anti-Theft Alarm
Static current $\leq 65 \mu\text{A}$
4 AA batteries
Passwords + RFID Cards ≤ 200
Suitable for hotel room and office premises

Material

Aluminium
Glass Panel

Panel Size

320mm X 60mm

Color

Black





ASL-604-HS

UNLOCKING METHOD

Card
Mechanical Key

FUNCTION

Static current $\leq 65 \mu\text{A}$

2 AA batteries

Suitable for hotel room and office premises

Material

Aluminium Alloy

Solid body

Panel Size

280mm x 75mm

Color

Brown





ASL-502-HS

UNLOCKING METHOD

Password
Card
Mechanical Key
Bluetooth App (TTL)

FUNCTION

Doorbell
Static current $\leq 65 \mu\text{A}$
4 AA batteries
Passwords + RFID Cards ≤ 200
Suitable for hotel room and office premises

Material

Aluminium
Glass Panel
CNC Finish

Panel Size

320mm X 60mm

Color

Black and Silver





SHAN ENTERPRISE

9045655363 | 8194064588

LAL DIGGI ROAD CIVIL LINE ALIGARH 202002